Contents

| List | of A | bbreviat | ionsI | X | | | |
|------|---|--|---|----|--|--|--|
| List | t of Sy | mbols | Х | Π | | | |
| 1 | Introduction | | | | | | |
| 2 | Physical vapour deposition technology | | | | | | |
| | 2.1 Magnetr | | on sputtering | | | | |
| | 2.2 | wer impulse magnetron sputtering | 5 | | | | |
| | 2.3 | 3 Cathodic arc evaporation | | | | | |
| 3 | Ti-Al-N coatings11 | | | | | | |
| | 3.1 | The Ti-A | Al-N system | | | | |
| | 3.2 | Review of | of Ti-Al-N coatings deposited by CAE1 | 13 | | | |
| | 3.2.1 Influence of the Al co coatings deposited by | | ience of the Al content on the microstructure and properties of Ti-Al-N ings deposited by CAE | 13 | | | |
| | 3.2.2 Influ coat | | ience of the bias voltage on the microstructure and properties of Ti-Al-N ings deposited by CAE | 16 | | | |
| | | 3.2.2.1 | Influence of U_B on the Al content in the Ti-Al-N coatings deposited by CAE. | 16 | | | |
| | | 3.2.2.2 | Influence of U_B on the residual stress in Ti-Al-N coatings deposited by CAE. | 18 | | | |
| | | 3.2.2.3 | Influence of U _B on lattice parameter of fcc-(Ti,Al)N in CAE coatings | 21 | | | |
| | | 3.2.2.4 | Influence of U_B on the hardness of Ti-Al-N coatings deposited by CAE 2 | 21 | | | |
| | 3.3 | Thermal | stability of Ti-Al-N coatings | 22 | | | |
| 4 | Ti-Al-Ru-N coatings24 | | | | | | |
| | 4.1 | Properties of Ti-Al-Ru-N coatings deposited by CAE | | | | | |
| | 4.2 | Thermal | stability of Ti-Al-Ru-N coatings deposited by CAE | 26 | | | |
| 5 | Cr-A | Al-Si-N c | oatings2 | 7 | | | |
| | 5.1 | The Cr-Al-(Si)-N system | | | | | |
| | 5.2 | Magneti | c ordering in CrN | 28 | | | |

| 6 | Characterisation techniques31 | | | | | |
|---|-------------------------------|-------------------|--|-----------|--|--|
| | 6.1 | Chemical Analysis | | | | |
| | 6.1 | .1 Ele | Electron probe microanalysis | | | |
| | 6.1 | .2 Glo | ow discharge optical emission spectroscopy | 31 | | |
| | 6.2 X-ray di | | iffraction | 32 | | |
| | 6.2 | .1 Gla | incing angle X-ray diffraction | 32 | | |
| | | 6.2.1.1 | Determination of stress-free lattice parameter and residual stress | 33 | | |
| | | 6.2.1.2 | Crystal anisotropy of the lattice deformation | 37 | | |
| | 6.2 | 2.2 In s | situ synchrotron HT-GAXRD | 40 | | |
| | 6.2 | 2.3 Pol | e figure measurements | 41 | | |
| | 6.2 | 2.4 Red | Reciprocal space maps and XRD rocking curves | | | |
| | 6.3 | Transm | iission electron microscopy | 44 | | |
| | 6.3 | .1 Ima | aging using TEM | 44 | | |
| | 6.3 | .2 Det | termination of the local orientation | 45 | | |
| | 6.3 | .3 An | alytical TEM | 48 | | |
| | | 6.3.3.1 | Energy dispersive spectroscopy | 48 | | |
| | | 6.3.3.2 | Electron energy loss spectroscopy | 50 | | |
| | 6.4 Therma | | l treatment | 58 | | |
| | 6.5 | Calotes | otest | | | |
| | 6.6 Nanoind | | dentation | 59 | | |
| 7 | Resu | lts and | discussion | 63 | | |
| | 7.1 | Ti-Al-N | coatings deposited by CAE | 63 | | |
| | 7.1 | .1 Dej | position of CAE Ti-Al-N monolayer coatings | 63 | | |
| | 7.1 | .2 Ch | emical and phase composition of as-deposited Ti _{1-x} Al _x N coatings | 64 | | |
| | 7.1 | .3 Ma | Macroscopic lattice strain and residual stress of as-deposited Ti _{1-x} Al _x coatings | | | |
| | 7.1 | .4 Cry | /stallite size of as-deposited Ti _{1-x} Al _x N coatings | 71 | | |
| | 7.1 | .5 Inte | Interfaces between fcc-(Ti,Al)N and w-AlN Hardness of as-deposited Ti _{1-x} Al _x N coatings | | | |
| | 7.1 | .6 Ha | | | | |
| | 7.1 | .7 The | ermal stability of Ti _{1-x} Al _x N coatings | 79 | | |
| | | 7.1.7.1 | Thermally activated microstructure changes in the Ti _{0.62} Al _{0.38} N coating | gs 80 | | |
| | | 7.1.7.2 | Effect of the bias voltage and chemical composition on the phaeomposition of annealed $Ti_{1-x}Al_xN$ coatings | ase 87 | | |

| | 7 | .1.7.3 | Apparent microstrain as an indicator of local concentration fluctuations fcc-(Ti,Al)N | in 89 | | |
|-----|----------------|--|---|-------------------|--|--|
| | 7.2 Ti | -Al-N / | Al-Ti-(Ru)-N multilayers deposited by CAE | 93 | | |
| | 7.2.1 | Depo | osition of CAE Ti-Al-N / Al-Ti-(Ru)-N multilayer coatings | 93 | | |
| | 7.2.2 | Cher mult | Chemical and phase composition of as-deposited Ti-Al-N/Al-Ti-(Ru)-N multilayers | | | |
| | 7.2.3 | Mult | ilayer architecture of the Ti-Al-N / Al-Ti-(Ru)-N multilayer coatings | 98 | | |
| | 7.2.4 | Resid coati | Residual stress in the as-deposited Ti-Al-N / Al-Ti-(Ru)-N multilayer oatings | | | |
| | 7.2.5 | Hard | ness of the as-deposited Ti-Al-N / Al-Ti-(Ru)-N multilayer coatings | 106 | | |
| | 7.2.6 | Prefe | erred orientation of the fcc-(Ti,Al)N crystallites | 107 | | |
| | 7.2.7 | Ther | mal stability of Ti-Al-N / Al-Ti-(Ru)-N multilayers | 113 | | |
| | 7 | .2.7.1 | Thermally activated microstructure changes in the Ti-Al-N / Al-Ti-(Ru N multilayer coatings | ı)- 113 | | |
| | 7 | .2.7.2 | Thermally activated microstructure changes in the Ru-rich Ti-Al-N / A Ti-Ru-N multilayer coating deposited at $U_B = -80$ V as seen by analytic TEM | .l- ∶al 120 | | |
| | 7 | .2.7.3 | Interfaces between fcc and wurtzite phase after thermal treatment | 126 | | |
| | 7.3 He | eteroep | itaxial TiN / AlN / TiN layers deposited by MS | 130 | | |
| | 7.3.1 | Prepa | aration of TiN / AlN / TiN layer stacks | 131 | | |
| | 7.3.2 | Internal interfaces studied by heteroepitaxial growth | | 133 | | |
| | 7 | .3.2.1 | Wurtzite AlN grown on $(1\overline{1}0)_{fcc}$ oriented fcc-TiN | 135 | | |
| | 7 | .3.2.2 | Wurtzite AlN grown on $(00\overline{1})_{fcc}$ oriented fcc-TiN | 150 | | |
| | 7.4 Cı | r-Al-Si- | N coatings deposited by UBM and HIPIMS | 167 | | |
| | 7.4.1 | Depo | osition of Cr-Al-Si-N coatings using UBM, HIPIMS and CAE | 167 | | |
| | 7.4.2 | Ionized species in the UBM and HIPIMS plasma | | | | |
| | 7.4.3 | Phase composition of the Cr-Al-Si-N coatings deposited by UBM HIPIMS and crystal anisotropy of the lattice deformation | | | | |
| | 7.4.4 | Stres | Stress-free lattice parameter of the fcc-(Cr,Al,Si)N phase | | | |
| | 7.4.5 | Influence of the deposition mode on the microstructure of Cr-Al-Si-N coatings | | | | |
| 8 | Conclus | sions . | | 185 | | |
| An | nendiv | | | . 189 | | |
| P | P ~1141/2 **** | | | | | |
| Bib | oliography | y | | 201 | | |