

# Contents

<b>List of Figures</b>	<b>XI</b>
<b>List of Tables</b>	<b>XV</b>
<b>List of Symbols</b>	<b>XVII</b>
<b>Acronyms</b>	<b>XIX</b>
<b>1. Introduction</b>	<b>1</b>
1.1. Motivation . . . . .	1
1.2. Objectives . . . . .	4
1.3. Related Work . . . . .	5
1.3.1. Current Operation Strategies . . . . .	6
1.3.2. Harmonic Interaction Analysis . . . . .	8
1.4. Outline and Contribution . . . . .	10
1.5. Publications . . . . .	12
<b>2. Foundation of Delta-connected CHB Multilevel Converter</b>	<b>13</b>
2.1. Voltage Source Converters . . . . .	13
2.1.1. Classification . . . . .	13
2.1.2. Applications . . . . .	18
2.1.3. Choice of Delta-connected CHB as Shunt APF . . . . .	23
2.2. Non-ideal Power Supplies . . . . .	24
2.2.1. Voltage Disturbances in Electric Power Systems . . . . .	24
2.2.2. General Description of Periodic Voltages in <i>abc</i> Frame . . . . .	26
2.3. Challenges of Operational Issues of Delta-connected CHB as Shunt APF under Non-ideal Power Supplies . . . . .	28

<b>3. Optimal Current Operation Strategy</b>	<b>31</b>
3.1. Definitions for Electric Quantity Measurement . . . . .	31
3.2. Recommended Practice for Electric Power Systems . . . . .	33
3.3. Operation Principle of Delta-connected CHB . . . . .	35
3.4. The Proposed Strategy for Desired Terminal Currents and Circulating Current Calculation . . . . .	39
3.4.1. Harmonic-based Distortion Analysis in $dq$ Frame . . . . .	40
3.4.2. Optimization Problem Formulation . . . . .	44
3.4.3. Combination of Objective Function and Constraints . . . . .	49
3.4.4. Solution of the Optimization Problem via Sequential Convex Programming . . . . .	50
3.5. Sequential Convex Programming and Its Convergence . . . . .	52
3.6. Block Diagram for Strategy Validation . . . . .	54
3.6.1. Harmonic Detection Method . . . . .	55
3.6.2. Modelling and Controller Design . . . . .	56
3.6.3. Finite Horizon Discrete Time LQR via Dynamic Programming	59
3.7. Validation via Time-Domain Simulation . . . . .	61
3.7.1. Case A . . . . .	66
3.7.2. Case B . . . . .	68
3.7.3. Case C . . . . .	70
3.7.4. Case D . . . . .	71
3.8. Discussion . . . . .	73
<b>4. Harmonic Interaction Analysis</b>	<b>83</b>
4.1. Necessity of Harmonic Interaction Analysis . . . . .	83
4.2. Time-varying Model and Properties . . . . .	86
4.3. Observations of Power Flow and Branch Voltage Model . . . . .	90
4.3.1. Foundation . . . . .	90
4.3.2. Observations of Power Flow Model . . . . .	91
4.3.3. Observations of Branch Voltage Model . . . . .	95
4.4. Derivation of Time-invariant Representation for Power Flow . . . . .	95
4.4.1. Time-invariant Representation for dc Component of Power Flow . . . . .	96

---

4.4.2. Time-invariant Representation for Oscillating Component of Power Flow . . . . .	96
4.5. Utilisation of Harmonic Interaction Analysis . . . . .	98
4.5.1. Time-invariant Model Based on Harmonic Interaction Analysis	98
4.5.2. Determination of Control Variables . . . . .	99
4.6. Validation via Time-Domain Simulation . . . . .	103
4.6.1. Case A . . . . .	106
4.6.2. Case B . . . . .	108
4.6.3. Case C . . . . .	108
4.6.4. Case D . . . . .	110
4.6.5. Case E . . . . .	110
4.7. Discussion . . . . .	111
<b>5. Summary and Outlook</b>	<b>123</b>
<b>6. Zusammenfassung</b>	<b>127</b>
<b>A. Supplementary Materials</b>	<b>131</b>
A.1. Power Component Calculation (Chapter 3) . . . . .	131
A.2. Some Details of Eq. (4.26) . . . . .	134
A.3. Harmonic Sequence Coupling . . . . .	139
<b>Bibliography</b>	<b>141</b>