

Complete Table of Contents

| | |
|---|-------------|
| List of Figures | IX |
| List of Tables | XI |
| List of Abbreviations | XIII |
| List of Symbols | XVII |
| 1 Exposé | 1 |
| 1.1 Motivation | 1 |
| 1.2 Problem Statement | 3 |
| 1.3 Research Objectives and Questions | 5 |
| 1.4 Scientific Method Placement | 8 |
| 1.5 Thesis Structure | 10 |
| 2 Viewpoint-based FISA: Terminology | 13 |
| 2.1 Viewpoints: Foundation for Efficient FISA Engineering | 13 |
| 2.1.1 Viewpoint Definitions | 13 |
| 2.1.2 Viewpoint-based Methods | 14 |
| 2.1.3 Viewpoint Terminology | 15 |
| 2.1.4 Viewpoints for Bridging the Abstraction Levels | 17 |
| 2.2 Model Transformations, Resulting Impact Analysis and Recommendations | 18 |
| 2.2.1 Definition: Model Transformation | 18 |
| 2.2.2 Definition: Impact Analysis | 20 |
| 2.3 Terms and History of Information Systems and Enterprise Architectures | 22 |
| 2.3.1 Definition: Information System vs. Enterprise Architectures | 22 |
| 2.3.2 Brief Historical Emerging and Development of ISA | 24 |
| 2.4 Deriving the Term: Flexible Information System Architectures | 27 |
| 2.4.1 Flexibility Analysis Approaches | 27 |
| 2.4.2 Flexibility Term Delimitation | 29 |
| 2.4.3 Defining FISA | 33 |
| 2.4.4 Classification of Flexible Information System Architectures | 34 |
| 2.5 Chapter Summary: FISA Terminology | 39 |
| 3 FISA for Business-IT Alignment and Enterprise Governance | 41 |
| 3.1 Viewpoint-based FISA for Business and IT Alignment | 41 |
| 3.1.1 Viewpoints for FISA Construction | 42 |
| 3.1.2 Enterprise Alignment by Knowledge Engineering | 43 |
| 3.1.3 Viewpoint-based ISA Design | 44 |
| 3.1.4 Viewpoint Definition Analysis | 45 |
| 3.2 Enterprise Architecture Management, Governance, Growth | 46 |
| 3.2.1 ISA Complexity | 47 |
| 3.2.2 Data Provenance and Evolution Implications | 49 |
| 3.2.3 Management Life-cycles | 51 |
| 3.2.3.1 Business Process Management | 51 |
| 3.2.3.2 FISA Management | 53 |

| | | |
|-----------|---|-----------|
| 3.2.4 | ISA Governance | 55 |
| 3.2.5 | Sustainable ISA Growth | 58 |
| 3.3 | Viewpoint-based FISA Engineering Approaches and Methods | 60 |
| 3.3.1 | Software Engineering for FISA | 60 |
| 3.3.2 | Aspects of Reverse Engineering | 62 |
| 3.3.3 | Impact Analysis by Recommendations | 64 |
| 3.3.4 | MDD and MDA Approaches for FISA | 66 |
| 3.3.4.1 | General Viewpoint-based FISA Engineering Method Analysis | 68 |
| 3.3.4.2 | Dedicated Viewpoint-based FISA Engineering Method Analysis | 70 |
| 3.4 | Chapter Summary: FISA in Software Engineering and Management | 71 |
| 4 | Viewpoint-based FISA: Viewpoints, Methods, Model Transformations | 73 |
| 4.1 | Viewpoint Definitions and Methods in FISA | 73 |
| 4.1.1 | FISA Viewpoints Definitions | 74 |
| 4.1.1.1 | AINSWORTH et al. | 74 |
| 4.1.1.2 | DIJKMAN et al. | 74 |
| 4.1.1.3 | FINKELSTEIN et al. | 74 |
| 4.1.1.4 | ISO/IEC 42010 | 75 |
| 4.1.1.5 | KRUCHTEN'S 4+1 View Model, ROZANSKI et al. | 75 |
| 4.1.1.6 | LANKHORST and IEEE 1471 Standard | 76 |
| 4.1.1.7 | NUSEIBEH et al. | 77 |
| 4.1.1.8 | PRAXEME | 78 |
| 4.1.1.9 | RM-ODP | 78 |
| 4.1.1.10 | RUP | 79 |
| 4.1.1.11 | STEEN et al. | 80 |
| 4.1.1.12 | TOGAF | 81 |
| 4.1.1.13 | ZACHMAN Framework | 81 |
| 4.1.1.14 | Comparison: Viewpoint Terms and Definitions | 82 |
| 4.1.2 | FISA Viewpoint Engineering Methods | 83 |
| 4.1.2.1 | FISA Software Systems Engineering Methods | 84 |
| 4.1.2.1.1 | ANSI/IEEE Std. 1471-2000 | 84 |
| 4.1.2.1.2 | ISO/IEC 42010 | 85 |
| 4.1.2.1.3 | KRUCHTEN'S "4+1" Architectural View Model | 85 |
| 4.1.2.1.4 | RM-ODP | 86 |
| 4.1.2.2 | FISA Technical Systems Engineering Methods | 87 |
| 4.1.2.2.1 | OMG SysML | 87 |
| 4.1.2.2.2 | PRAXEME Framework | 88 |
| 4.1.2.2.3 | RUP Approach | 89 |
| 4.1.2.3 | FISA Enterprise Systems Engineering Methods | 91 |
| 4.1.2.3.1 | BOITEN Approach | 91 |
| 4.1.2.3.2 | MODAF/DoDAF | 92 |
| 4.1.2.3.3 | TOGAF | 93 |
| 4.1.2.3.4 | ZACHMAN Framework | 94 |
| 4.1.2.4 | FISA MDA Research Project Methods | 96 |
| 4.1.2.4.1 | MDA and SHAPE Research Project | 96 |
| 4.1.2.4.2 | MDA and VIDE Research Project | 98 |
| 4.1.2.5 | Comparison: Viewpoint-based Methods | 98 |
| 4.2 | Model Transformation Approaches and Resulting Impact Analysis | 100 |
| 4.2.1 | Model Transformation Classification | 102 |

| | | |
|-----------|--|------------|
| 4.2.2 | Methods of Impact Analysis | 105 |
| 4.2.3 | Models for Model Transformations | 108 |
| 4.2.3.1 | Acceleo | 109 |
| 4.2.3.2 | ATL | 109 |
| 4.2.3.3 | AToM ³ | 110 |
| 4.2.3.4 | ETL | 110 |
| 4.2.3.5 | JET | 111 |
| 4.2.3.6 | JTL | 111 |
| 4.2.3.7 | Kermeta | 112 |
| 4.2.3.8 | QVT | 113 |
| 4.2.3.9 | Xpand | 113 |
| 4.2.3.10 | Xtend | 114 |
| 4.2.3.11 | Models for Model Transformations Comparison | 114 |
| 4.3 | Chapter Summary: Viewpoints in FISA | 115 |
| 5 | Requirements Elicitation for FISA Engineering Approach | 117 |
| 5.1 | State of the Technique for FISA Engineering | 117 |
| 5.1.1 | FISA Processes in Evolution | 118 |
| 5.1.2 | Open Source and Research Viewpoint Supporting Prototypes | 119 |
| 5.1.2.1 | ArchiMeDes | 119 |
| 5.1.2.1.1 | Viewpoint Tool Functionalities | 119 |
| 5.1.2.1.2 | Dynamic View Handling and Exchange | 120 |
| 5.1.2.2 | CIMFlex | 120 |
| 5.1.2.2.1 | Viewpoint Tool Functionalities | 120 |
| 5.1.2.2.2 | Dynamic View Handling and Exchange | 121 |
| 5.1.2.3 | DSML4MAS | 121 |
| 5.1.2.3.1 | Viewpoint Tool Functionalities | 121 |
| 5.1.2.3.2 | Dynamic View Handling and Exchange | 122 |
| 5.1.2.4 | Eclipse EMF/GMP/CDO | 122 |
| 5.1.2.4.1 | Viewpoint Tool Functionalities | 123 |
| 5.1.2.4.2 | Dynamic View Handling and Exchange | 123 |
| 5.1.3 | Proprietary Viewpoint Supporting Solutions | 123 |
| 5.1.3.1 | IBM: Rational Rhapsody/DOORS/RIF | 123 |
| 5.1.3.1.1 | Viewpoint Tool Functionalities | 124 |
| 5.1.3.1.2 | Dynamic View Handling and Exchange | 124 |
| 5.1.3.2 | ikv++: m2c | 125 |
| 5.1.3.2.1 | Viewpoint Tool Functionalities | 125 |
| 5.1.3.2.2 | Dynamic View Handling and Exchange | 126 |
| 5.1.3.3 | Obeo: Obeo Designer | 126 |
| 5.1.3.3.1 | Viewpoint Tool Functionalities | 126 |
| 5.1.3.3.2 | Dynamic View Handling and Exchange | 126 |
| 5.1.3.4 | Softteam: Modelio | 127 |
| 5.1.3.4.1 | Viewpoint Tool Functionalities | 127 |
| 5.1.3.4.2 | Dynamic View Handling and Exchange | 127 |
| 5.2 | Requirements for Flexible Viewpoint-based System Specification | 127 |
| 5.2.1 | FISA Viewpoint Concept | 128 |
| 5.2.1.1 | Architectural Viewpoints | 129 |
| 5.2.1.2 | Architecture Consistency Assurance | 130 |
| 5.2.1.3 | Architecture Life-cycle Support | 130 |

| | | |
|-----------|---|------------|
| 5.2.1.4 | Architecture Validation and Verification | 131 |
| 5.2.1.5 | Architecture Concrete Syntax and Extension | 131 |
| 5.2.2 | FISA Viewpoint Tooling | 132 |
| 5.2.2.1 | Viewpoint Definition and View Creation | 132 |
| 5.2.2.2 | View Visualisation | 133 |
| 5.2.2.3 | Viewpoint-specific Tool Adaptation | 133 |
| 5.2.2.4 | View Exchange | 134 |
| 5.2.2.5 | View Handling | 134 |
| 5.2.2.6 | Dynamic View Definition and Usage | 134 |
| 5.2.2.7 | Dynamic Views for Reviewing Tasks | 135 |
| 5.2.3 | Viewpoint Requirements Overview | 135 |
| 5.3 | Chapter Summary: Requirements for FISA | 136 |
| 6 | Viewpoint-based FISA Engineering: Procedure and Reference Models | 139 |
| 6.1 | FISA Reference Procedure Model | 141 |
| 6.1.1 | Stakeholder-centred Software Engineering Domain Delimitation | 141 |
| 6.1.2 | Viewpoint-based Reference Construction Procedure Model | 143 |
| 6.1.2.1 | Viewpoint Definition: Top-down and Bottom-up | 144 |
| 6.1.2.2 | Conceiving FISA procedure model | 146 |
| 6.1.2.3 | Phase Model and Classification | 149 |
| 6.2 | FISA Definitions, Metamodel Assembly and Delimitation | 151 |
| 6.2.1 | Viewpoint Terms Definition | 152 |
| 6.2.2 | Viewpoint Metamodelling Approaches | 156 |
| 6.2.2.1 | Centralised Viewpoint-based Metamodelling | 156 |
| 6.2.2.1.1 | Purpose | 156 |
| 6.2.2.1.2 | Metamodel Definition | 156 |
| 6.2.2.2 | Federated Viewpoint-based Metamodelling | 158 |
| 6.2.2.2.1 | Purpose | 158 |
| 6.2.2.2.2 | Metamodel Definition | 158 |
| 6.2.2.3 | Weighted Viewpoint-based Metamodelling | 159 |
| 6.2.2.3.1 | Purpose | 159 |
| 6.2.2.3.2 | Metamodel Definition | 160 |
| 6.2.2.4 | Generalised Viewpoint-based Metamodelling | 161 |
| 6.2.2.4.1 | Purpose | 161 |
| 6.2.2.4.2 | Metamodel Definition | 161 |
| 6.2.3 | FISA Viewpoint Metamodel Instantiation | 163 |
| 6.3 | FISA Viewpoint-based Engineering Method | 166 |
| 6.3.1 | FISA Application Reference Models | 166 |
| 6.3.1.1 | Centralised Viewpoint-based Engineering | 168 |
| 6.3.1.1.1 | Reference Model | 168 |
| 6.3.1.1.2 | Model Instance | 169 |
| 6.3.1.2 | Federated Viewpoint-based Engineering | 170 |
| 6.3.1.2.1 | Reference Model | 170 |
| 6.3.1.2.2 | Model Instance | 172 |
| 6.3.1.3 | Weighted Viewpoint-based Engineering | 173 |
| 6.3.1.3.1 | Reference Model | 173 |
| 6.3.1.3.2 | Model Instance | 175 |
| 6.3.1.4 | Generalised Viewpoint-based Engineering | 176 |
| 6.3.1.4.1 | Reference Model | 176 |

| | | |
|-----------|--|------------|
| 6.3.1.4.2 | Model Instance | 179 |
| 6.3.2 | FISA Viewpoint Set Extension | 181 |
| 6.3.2.1 | Minimal Covering Viewpoint Set and Criteria of Negligibility | 181 |
| 6.3.2.2 | Enriching the Vertical Viewpoints Axe | 183 |
| 6.3.2.3 | Enriching the Horizontal Viewpoint Axe | 187 |
| 6.3.3 | FISA Life-cycle Support by Viewpoints | 188 |
| 6.3.3.1 | FISA for ARIS vs. MDA vs. Zachman | 189 |
| 6.3.3.2 | BPM and System Life-cycle Approaches | 190 |
| 6.3.3.2.1 | Business Process Classification | 190 |
| 6.3.3.2.2 | Supported Business Processes | 193 |
| 6.4 | FISA Relations: Model Transformations and Viewpoint Assignments | 194 |
| 6.4.1 | Model Transformations | 195 |
| 6.4.1.1 | Model Transformation Procedure | 195 |
| 6.4.1.2 | Horizontal Transformations | 197 |
| 6.4.1.2.1 | Delimitation of source and target domains | 197 |
| 6.4.1.2.2 | Pattern Mapping | 199 |
| 6.4.1.3 | Vertical Transformations | 201 |
| 6.4.1.3.1 | Experts Level to Technical Level Transformations | 201 |
| 6.4.1.3.2 | Reverse Expert to Technical Level Transformations | 201 |
| 6.4.1.4 | Model Transformation Validation and Verification | 203 |
| 6.4.2 | Impact Analysis Assessment | 206 |
| 6.4.2.1 | Structuring the Expert Knowledge | 206 |
| 6.4.2.2 | Structured Model Refinement | 207 |
| 6.4.2.3 | Abstraction Level Gap Overcoming | 209 |
| 6.4.3 | Viewpoint Recommendation Engineering | 211 |
| 6.4.3.1 | Overview | 211 |
| 6.4.3.2 | Stakeholder-Centred Method | 212 |
| 6.4.3.3 | Data-centred Method | 212 |
| 6.5 | Chapter Summary: FISA Concept, Models and Method | 213 |
| 7 | FISA in Context of Legacy Systems and Automotive Safety | 215 |
| 7.1 | Proof-of-concept Evaluation Approach of the Solution | 216 |
| 7.1.1 | Evaluation Method | 216 |
| 7.1.2 | Tooling Support | 217 |
| 7.1.3 | Application Cases | 218 |
| 7.1.4 | Evaluation Analyses and Requirements Review | 219 |
| 7.2 | Architecture of the FISA Engineering Prototype | 219 |
| 7.2.1 | Viewpoints-based Prototype | 220 |
| 7.2.2 | Stakeholder Support in FISA Engineering | 222 |
| 7.2.2.1 | CIMFlex: Model Transformations, Impact Analysis | 222 |
| 7.2.2.2 | Viewpoint Recommendations | 223 |
| 7.3 | FISA Engineering Industry Application Cases | 223 |
| 7.3.1 | Steel Production and Legacy Systems | 224 |
| 7.3.1.1 | Overview and Scope | 224 |
| 7.3.1.2 | Scenario | 225 |
| 7.3.1.3 | Vertical Viewpoint Extension | 226 |
| 7.3.1.4 | Model Transformations and Impact Analysis | 228 |
| 7.3.2 | Software Engineering for Automotive Safety Process Work Products | 230 |
| 7.3.2.1 | Overview and Scope | 230 |

| | | |
|-----------|--|--------------|
| 7.3.2.2 | Scenario | 230 |
| 7.3.2.2.1 | Conducting a Review | 231 |
| 7.3.2.2.2 | Working on Review Comments | 231 |
| 7.3.2.2.3 | Export of a Functional Safety View by OEM | 232 |
| 7.3.2.2.4 | Feedback of Safety Information by Supplier to OEM | 232 |
| 7.3.2.2.5 | Update of a Functional Safety View by OEM | 233 |
| 7.3.2.3 | Horizontal Viewpoint Extension | 233 |
| 7.3.2.4 | Context, Task and Sequence Assignment for Viewpoints | 234 |
| 7.4 | Evaluation Results | 235 |
| 7.4.1 | Requirements Fulfilment | 235 |
| 7.4.1.1 | Viewpoint Concept Requirements | 235 |
| 7.4.1.2 | Viewpoint Tooling | 236 |
| 7.4.1.3 | Requirements Evaluation Overview | 236 |
| 7.4.2 | Critical FISA Method Review for Evaluation | 239 |
| 7.4.2.1 | Does FISA Technique Work? | 239 |
| 7.4.2.2 | Aid for Steel Production and Automotive Safety | 239 |
| 7.4.2.3 | ROI and Performance Measures | 240 |
| 7.4.2.4 | SWOT Analysis and Implications | 241 |
| 7.5 | Chapter Summary: FISA Application Cases and Evaluation | 243 |
| 8 | Conclusions and Research Outlook | 245 |
| 8.1 | Summary of the Viewpoint-based Engineering Method for FISA | 246 |
| 8.2 | Critical Acclaim of the Approach | 247 |
| 8.3 | Future Research Areas for FISA | 249 |
| | Appendix | XIX |
| A | State-of-the-Technique Research Tool CIMFlex4FISA | XIX |
| B | OMG Concepts and Standards for MDA | XX |
| B.1 | MDA Concepts | XX |
| B.2 | MDA Standards | XXI |
| C | Model-to-Model Transformations | XXIII |
| C.1 | Transformation Run-time Settings | XXIII |
| C.2 | CIM-to-CIM Transformations | XXIV |
| C.3 | CIM-to-PIM Transformations | XXVII |
| C.4 | PIM-to-CIM Transformations | XXVIII |
| D | Viewpoint Recommendation Engineering | XXX |
| D.1 | Viewpoint Recommendation Implementation | XXX |
| D.2 | Task Assignment | XXXIII |
| D.3 | Sequence Recommendation | XXXV |
| | References | XXXIX |